

09982982_CLS
Most Frequently Occurring Classifications of Patents Returned
From A Search of 09982982 on February 17, 2004

Original Classifications

2 29/603.14
2 346/137
2 360/327.31
2 369/13.35
2 369/275.1 ✓

Cross-Reference Classifications

6 428/900
5 428/611
4 346/135.1
4 430/945
3 369/284 ✓
3 427/131
3 428/336
3 428/694TS
2 29/603.15
2 235/449
2 360/122
2 360/59
2 369/275.4 ✓
2 369/286
2 369/287
2 369/288
2 369/94
2 427/132
2 428/678
2 428/694BA
2 428/694BM
2 428/694T
2 428/694TM
2 428/913
2 430/270.12
2 430/964

Combined Classifications

6 428/900
5 346/135.1
5 428/611
4 369/284
4 427/131
4 428/694TS
4 430/945
3 29/603.14

09982982_CLS

3 360/59
3 369/275.4
3 428/336
2 29/603.15
2 235/449
2 250/306
2 340/572.6
2 346/137
2 360/122
2 360/322
2 360/324.12
2 360/327.31
2 369/126
2 369/13.35
2 369/275.1 ✓
2 369/275.3 ✓
2 369/286
2 369/287
2 369/288
2 369/94
2 427/132
2 428/678
2 428/694BA
2 428/694BM
2 428/694T
2 428/694TM
2 428/913
2 430/270.12
2 430/964

09982982_CLSTITLES

Titles of Most Frequently Occurring Classifications of Patents Returned

From A Search of 09982982 on February 17, 2004

- 6 428/900 (0 OR, 6 XR)
 - Class 428 : STOCK MATERIAL OR MISCELLANEOUS ARTICLES
 - 428/900 MAGNETIC FEATURE
- 5 346/135.1 (1 OR, 4 XR)
 - Class 346 : RECORDERS
 - 346/134 RECORD RECEIVERS AND/OR DRIVING MEANS THEREFOR
 - 346/135.1 .Laminated, impregnated, or coated bases
- 5 428/611 (0 OR, 5 XR)
 - Class 428 : STOCK MATERIAL OR MISCELLANEOUS ARTICLES
 - 428/544 ALL METAL OR WITH ADJACENT METALS
 - 428/611 .Having magnetic properties, or preformed fiber orientation coordinate with shape
- 4 369/284 (1 OR, 3 XR)
 - Class 369 : DYNAMIC INFORMATION STORAGE OR RETRIEVAL
 - 369/272 STORAGE MEDIUM STRUCTURE
 - 369/283 .Layered (e.g., permanent protective layer)
 - 369/284 ..Radiation beam modified or controlling (e.g., photosensitive, optical track)
- 4 427/131 (1 OR, 3 XR)
 - Class 427 : COATING PROCESSES
 - 427/127 MAGNETIC BASE OR COATING
 - 427/128 .Magnetic coating
 - 427/131 ..Applying superposed diverse coating or coating a coated base
- 4 428/694TS (1 OR, 3 XR)
 - Class 428 : STOCK MATERIAL OR MISCELLANEOUS ARTICLES
 - 428/411.1 COMPOSITE (NONSTRUCTURAL LAMINATE)
 - 428/688 .Of inorganic material
 - 428/689 ..Metal-compound-containing layer
 - 428/692 ...Defined magnetic layer
 - 428/694RDynamic recording medium
 - 428/694TMetal thin film magnetic layer
 - 428/694TSSpecified subbing or underlayer
- 4 430/945 (0 OR, 4 XR)

09982982_CLSTITLES

Class 430 : RADIATION IMAGERY CHEMISTRY: PROCESS,
COMPOSITION, OR PRODUCT THEREOF
430/945 LASER BEAM

3 29/603.14 (2 OR, 1 XR)

Class 029 : METAL WORKING

29/592 METHOD OF MECHANICAL MANUFACTURE

29/592.1 .Electrical device making

29/602.1 ..Electromagnet, transformer or inductor

29/603.01 ...Magnetic recording reproducing transducer
(e.g., tape head, core, etc.)

29/603.07Fabricating head structure or component
thereof

29/603.09Including measuring or testing

29/603.13Depositing magnetic layer or coating

29/603.14Plural magnetic deposition layers

3 360/59 (1 OR, 2 XR)

Class 360 : DYNAMIC MAGNETIC INFORMATION STORAGE OR
RETRIEVAL

360/55 GENERAL RECORDING OR REPRODUCING

360/59 .Thermomagnetic recording or transducers

3 369/275.4 (1 OR, 2 XR)

Class 369 : DYNAMIC INFORMATION STORAGE OR RETRIEVAL

369/272 STORAGE MEDIUM STRUCTURE

369/275.1 .Optical track structure (e.g., phase or
diffracting structure, etc.)

369/275.4 ..Pit/bubble/groove structure specifies

3 428/336 (0 OR, 3 XR)

Class 428 : STOCK MATERIAL OR MISCELLANEOUS ARTICLES

428/221 WEB OR SHEET CONTAINING STRUCTURALLY DEFINED
ELEMENT OR COMPONENT

428/332 .Physical dimension specified

428/334 ..Coating layer not in excess of 5 mils thick
or equivalent

428/335 ...Up to 3 mils

428/3361 mil or less

2 29/603.15 (0 OR, 2 XR)

Class 029 : METAL WORKING

29/592 METHOD OF MECHANICAL MANUFACTURE

29/592.1 .Electrical device making

29/602.1 ..Electromagnet, transformer or inductor

29/603.01 ...Magnetic recording reproducing transducer
(e.g., tape head, core, etc.)

29/603.07Fabricating head structure or component

09982982_CLSTITLES

thereof

29/603.09Including measuring or testing
 29/603.13Depositing magnetic layer or coating
 29/603.15With etching or machining of magnetic
 material

2 235/449 (0 OR, 2 XR)

Class 235 : REGISTERS

235/435 CODED RECORD SENSORS

235/439 .Particular sensor structure

235/449 ..Magnetic

2 250/306 (1 OR, 1 XR)

Class 250 : RADIANT ENERGY

250/306 INSPECTION OF SOLIDS OR LIQUIDS BY CHARGED
 PARTICLES

2 340/572.6 (1 OR, 1 XR)

Class 340 : COMMUNICATIONS: ELECTRICAL

340/500 CONDITION RESPONSIVE INDICATING SYSTEM

340/540 .Specific condition

340/568.1 ..Article placement or removal (e.g.,
 anti-theft)

340/572.1 ...Detectable device on protected article
 (e.g., "tag")

340/572.6Having "soft" magnetic element (e.g.,
 Permalloy)

2 346/137 (2 OR, 0 XR)

Class 346 : RECORDERS

346/134 RECORD RECEIVERS AND/OR DRIVING MEANS THEREFOR

346/137 .Disc

2 360/122 (0 OR, 2 XR)

Class 360 : DYNAMIC MAGNETIC INFORMATION STORAGE OR
 RETRIEVAL

360/324.1 ...Having one film pinned (e.g., spin valve)

360/122 .Head surface structure

2 360/322 (1 OR, 1 XR)

Class 360 : DYNAMIC MAGNETIC INFORMATION STORAGE OR
 RETRIEVAL

360/110 HEAD

360/313 .Magnetoresistive (MR) reproducing head

360/322 ..Detail of sense conductor

09982982_CLSTITLES

2 360/324.12 (1 OR, 1 XR)
 Class 360 : DYNAMIC MAGNETIC INFORMATION STORAGE OR
 RETRIEVAL
 360/110 HEAD
 360/313 .Magnetoresistive (MR) reproducing head
 360/324 ..Having Giant Magnetoresistive (GMR) or
 Colossal Magnetoresistive (CMR) sensor fo
 rmed of multiple
 thin films
 360/324.1 ...Having one film pinned (e.g., spin valve)
 360/324.12Detail of free layer or additional film fo
 r
 affecting or biasing the free layer

2 360/327.31 (2 OR, 0 XR)
 Class 360 : DYNAMIC MAGNETIC INFORMATION STORAGE OR
 RETRIEVAL
 360/110 HEAD
 360/313 .Magnetoresistive (MR) reproducing head
 360/327 ..Having Anisotropic Magnetoresistive (AMR)
 sensor formed of a single thin film
 360/327.3 ...Detail of longitudinal biasing
 360/327.31Using a permanent magnet

2 369/126 (1 OR, 1 XR)
 Class 369 : DYNAMIC INFORMATION STORAGE OR RETRIEVAL
 369/99 SPECIFIC DETAIL OF INFORMATION HANDLING PORTIO
 N
 OF SYSTEM
 369/126 .Electrical modification or sensing of storage
 medium (e.g., capacitive, resistive, electr
 ostatic charge)

2 369/13.35 (2 OR, 0 XR)
 Class 369 : DYNAMIC INFORMATION STORAGE OR RETRIEVAL
 369/13.01 STORAGE OR RETRIEVAL BY SIMULTANEOUS
 APPLICATION OF DIVERSE TYPES OF ELECTROMA
 GNETIC RADIATION

369/13.02 .Magnetic field and light beam
 369/13.35 ..Specific detail of recording medium

2 369/275.1 (2 OR, 0 XR)
 Class 369 : DYNAMIC INFORMATION STORAGE OR RETRIEVAL
 369/272 STORAGE MEDIUM STRUCTURE
 369/275.1 .Optical track structure (e.g., phase or

09982982_CLSTITLES
diffracting structure, etc.)

2 369/275.3 (1 OR, 1 XR)
Class 369 : DYNAMIC INFORMATION STORAGE OR RETRIEVAL
369/272 STORAGE MEDIUM STRUCTURE
369/275.1 .Optical track structure (e.g., phase or
diffracting structure, etc.)
369/275.3 ..Track data format/layout

2 369/286 (0 OR, 2 XR)
Class 369 : DYNAMIC INFORMATION STORAGE OR RETRIEVAL
369/272 STORAGE MEDIUM STRUCTURE
369/283 .Layered (e.g., permanent protective layer)
369/286 ..Laminated or unified discrete layers

2 369/287 (0 OR, 2 XR)
Class 369 : DYNAMIC INFORMATION STORAGE OR RETRIEVAL
369/272 STORAGE MEDIUM STRUCTURE
369/287 .Flexible

2 369/288 (0 OR, 2 XR)
Class 369 : DYNAMIC INFORMATION STORAGE OR RETRIEVAL
369/272 STORAGE MEDIUM STRUCTURE
369/288 .Specified material

2 369/94 (0 OR, 2 XR)
Class 369 : DYNAMIC INFORMATION STORAGE OR RETRIEVAL
369/93 SYSTEMS HAVING PLURAL PHYSICALLY DISTINCT
INDEPENDENT TRACKS ON A SINGLE STORAGE MED

IUM SURFACE

369/94 .Having layered storage medium

2 427/132 (0 OR, 2 XR)
Class 427 : COATING PROCESSES
427/127 MAGNETIC BASE OR COATING
427/128 .Magnetic coating
427/132 ..Metal coating

2 428/678 (0 OR, 2 XR)
Class 428 : STOCK MATERIAL OR MISCELLANEOUS ARTICLES
428/544 ALL METAL OR WITH ADJACENT METALS
428/615 .Composite; i.e., plural, adjacent, spatially
distinct metal components (e.g., layers,
joint, etc.)
428/655 ..Transition metal-base component
428/668 ...Group VIII or IB metal-base component
428/678Co-, Fe-, or Ni-base components,
alternative to each other

09982982_CLSTITLES

2 428/694BA (0 OR, 2 XR)
 Class 428 : STOCK MATERIAL OR MISCELLANEOUS ARTICLES
 428/411.1 COMPOSITE (NONSTRUCTURAL LAMINATE)
 428/688 .Of inorganic material
 428/689 ..Metal-compound-containing layer
 428/692 ...Defined magnetic layer
 428/694RDynamic recording medium
 428/694BBinder containing magnetic layer
 428/694BAMagnetic particle with specified shape o

r

dimension

2 428/694BM (0 OR, 2 XR)
 Class 428 : STOCK MATERIAL OR MISCELLANEOUS ARTICLES
 428/411.1 COMPOSITE (NONSTRUCTURAL LAMINATE)
 428/688 .Of inorganic material
 428/689 ..Metal-compound-containing layer
 428/692 ...Defined magnetic layer
 428/694RDynamic recording medium
 428/694BBinder containing magnetic layer
 428/694BMMultiple magnetic layers

2 428/694T (0 OR, 2 XR)
 Class 428 : STOCK MATERIAL OR MISCELLANEOUS ARTICLES
 428/411.1 COMPOSITE (NONSTRUCTURAL LAMINATE)
 428/688 .Of inorganic material
 428/689 ..Metal-compound-containing layer
 428/692 ...Defined magnetic layer
 428/694RDynamic recording medium
 428/694TMetal thin film magnetic layer

2 428/694TM (0 OR, 2 XR)
 Class 428 : STOCK MATERIAL OR MISCELLANEOUS ARTICLES
 428/411.1 COMPOSITE (NONSTRUCTURAL LAMINATE)
 428/688 .Of inorganic material
 428/689 ..Metal-compound-containing layer
 428/692 ...Defined magnetic layer
 428/694RDynamic recording medium
 428/694TMetal thin film magnetic layer
 428/694TMMultiple magnetic layer

2 428/913 (0 OR, 2 XR)
 Class 428 : STOCK MATERIAL OR MISCELLANEOUS ARTICLES
 428/913 MATERIAL DESIGNED TO BE RESPONSIVE TO
 TEMPERATURE, LIGHT, MOISTURE, ETC.

2 430/270.12 (0 OR, 2 XR)

09982982_CLSTITLES

Class 430 : RADIATION IMAGERY CHEMISTRY: PROCESS,
COMPOSITION, OR PRODUCT THEREOF
430/269 IMAGING AFFECTING PHYSICAL PROPERTY OF
RADIATION SENSITIVE MATERIAL, OR PRODUCI
NG NONPLANAR OR
PRINTING SURFACE - PROCESS, COMPOSITION,
OR PRODUCT
430/270.1 .Radiation sensitive composition or product or
process of making
430/270.11 ..Optical recording nonstructural layered
product having a radiation sensitive compo
sition layer
claimed or solely disclosed as optically r
eorderable and
optically machine readable
430/270.12 ...Having read-write layer of 100 per cent
inorganic composition

2 430/964 (0 OR, 2 XR)
Class 430 : RADIATION IMAGERY CHEMISTRY: PROCESS,
COMPOSITION, OR PRODUCT THEREOF
430/964 THERMAL IMAGING COMPOSITION